

MATERIAL SAFETY DATA SHEET: CRYSTAL COAT

SECTION 1 – CHEMICAL PRODUCT AND COMPANY INFORMATION

Company information: Hot Foot® America L.P.
P.O. Box 1339
Sausalito, CA 94966
Tel: 415 789-5135 Fax: 415 789-0564
Medical emergency: Tel: 1 800 228 5635 Ext. 018
Transport emergency: (CHEMTREC) Tel: 1 800 424 9300
Product Information: Hot Foot® Crystal Coat spray coating

SECTION 2 – COMPOSITION & INFORMATION ON CONTENTS

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Unlisted ingredients are not 'hazardous' per the OSHA standard and/or are not found on the WHMIS ingredient disclosure list.

Chemical/CAS Number: Trichloroethylene (79-01-6)
Percent: 1-5%
OSHA PEL: 100ppm
ACGIH TLV: 100ppm
Vapor pressure: in mmHG @ C:44; 80 psig
This product is an aerosol, plastic coating pressurized spray powered by carbon dioxide gas.

SECTION 3 – HAZARDS IDENTIFICATION

Emergency Overview:
Combustible, eye irritant, contact will dry and defat skin, vapors harmful, harmful if swallowed, possible cancer hazard. Contains a material which may cause cancer.

Potential Health Effects:

Eyes: Acute; irritation and redness, tearing and blurred vision.
Skin: Acute; dryness and defatting, irritation, redness.
Inhalation: Acute; excessive inhalation may cause nasal and respiratory irritation, headache, nausea, dizziness, possible unconsciousness and even asphyxiation.
Ingestion: Acute; can cause gastrointestinal irritation, nausea, dizziness, diarrhea and possible narcosis. Do not administer adrenaline following exposure.

SECTION 4 – FIRST AID MEASURES

If in eye: Flush immediately with large amounts of water for at least 15 minutes. Call a physician.
If on skin: Wash affected area with soap and water. Launder contaminated clothing before re-use.
If vapors are inhaled: Remove from exposure. Restore breathing if necessary. Keep warm and quiet. Call a physician.
If ingested: Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person.

SECTION 5 – FIRE FIGHTING MEASURES

Flash point method: None
Upper explosive limit/ Lower explosive limit: None

Autoignition Temperature: Not established.
Appropriate extinguishers: The solvent will not burn
Special fire fighting procedures: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.
Unusual Fire and Explosive Hazards: None

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or leak procedures:
Ventilate area, avoid breathing vapors. Dike and contain spill with inert absorbent and transfer to container for disposal. Avoid ground contamination.

SECTION 7 – HANDLING AND STORAGE

Handling Information: Keep away from sources of high ambient temperature. Can be stored at freezing temperatures. Keep away from children. When empty, wrap containers in waste paper and dispose in trash. Observe all labeled precautions. Do not weld near aerosol cans.
Storage Information: Consult the Technical Data Sheet for specific storage information.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection: Wear safety glasses to reduce the potential for eye contact; Have eye washes available where eye contact can occur.
Skin protection: Prevent contact by using rubber gloves and appropriate protective clothing. Launder contaminated clothing before reuse.
Respiratory Protection: Use NIOSH/MSHA approved equipment - organic vapor respirators when airborne exposure limits are exceeded.
Ventilation: Local exhaust ventilation preferred. Provide ventilation to control contaminant levels below airborne exposure limits.

SECTION 9 – STABILITY AND REACTIVITY DATA

Stability: stable
Incompatibility: materials to avoid; Strong oxidizers and temperatures above 130 degrees F. Strong acids and bases.
Hazardous decomposition: Carbon monoxide and carbon dioxide, hydrogen chloride gas, hydrofluoric acid fumes.
Hazardous Polymerization: will not occur
Hmis ratings: Health=2; Flammability=1, Reactivity=0.

SECTION 10 – TRANSPORTATION INFORMATION

United States Department of Transportation (DOT): ORM-D Consumer commodity

DOT proper shipping name: Acrylic spray
DOT hazard class / ID code: class 2.2 , UN-1950

DOT label:

Non Flammable

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Hot Foot® American L.P. from its suppliers, and because Hot Foot® America L.P. has no control over the conditions of handling and use, Hot Foot® America L.P. makes no warranty, express or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and Hot Foot® America L.P. products to comply with all applicable federal, state and local laws and regulations.

Tuesday, November 25, 2003