

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 1/12  
(30468750/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## PTB PHANTOM PRESSURIZED

#### Recommended use of the chemical and restriction on use

Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF Canada Inc.  
100 Milverton Drive  
Mississauga, ON L5R 4H1, CANADA

Contact address:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932  
USA  
Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 383799  
EPA Register number: 7969-285  
Molecular formula: C15 H11 Br Cl F3 N2 O  
Chemical family: pyrrole derivative  
Synonyms: chlorfenapyr

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

#### Classification of the product

Flam. Liq.	1	Flammable liquids
Skin Corr./Irrit.	2	Skin corrosion/irritation
Muta.	1B	Germ cell mutagenicity
Carc.	1A	Carcinogenicity

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 2/12  
(30468750/SDS\_CPA\_US/EN)

Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H224	Extremely flammable liquid and vapour.
H315	Causes skin irritation.
H350	May cause cancer.
H340	May cause genetic defects.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P243	Take precautionary measures against static discharge.
P202	Do not handle until all safety precautions have been read and understood.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P242	Use only non-sparking tools.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.
P362 + P364	Take off contaminated clothing and wash before reuse.

Precautionary Statements (Storage):

P405	Store locked up.
P403 + P235	Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

### Hazards not otherwise classified

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 3/12  
(30468750/SDS\_CPA\_US/EN)

### Labeling of special preparations (GHS):

The product contains fluorinated greenhouse gases according to regulation (EC) No 517/2014.

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 12 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 12 % Inhalation - mist

### **According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

#### **Emergency overview**

##### CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

Wash thoroughly after handling.

### **3. Composition / Information on Ingredients**

#### **According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
122453-73-0	0.5 %	Chlorfenapyr
64742-47-8	< 10.0 %	Distillates (petroleum), hydrotreated light
67-64-1	< 15.0 %	Acetone
68476-40-4	< 15.0 %	Hydrocarbons, C3-4
811-97-2	< 75.0 %	HFC-134A

#### **According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
122453-73-0	0.5 %	Chlorfenapyr
64742-47-8	< 10.0 %	Distillates (petroleum), hydrotreated light
67-64-1	< 15.0 %	Acetone
68476-40-4		Hydrocarbons, C3-4
811-97-2		HFC-134A
	>= 75.0 %	Proprietary ingredients

### **4. First-Aid Measures**

#### **Description of first aid measures**

##### **General advice:**

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

##### **If inhaled:**

Remove the affected individual into fresh air and keep the person calm.

##### **If on skin:**

Wash thoroughly with soap and water.

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 4/12  
(30468750/SDS\_CPA\_US/EN)

---

### **If in eyes:**

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

### **If swallowed:**

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: No significant reaction of the human body to the product known.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Antidote: No known specific antidote.  
Treatment: Treat symptomatically.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
foam, dry powder, carbon dioxide, water spray

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons,  
If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## **6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### **Environmental precautions**

Do not discharge into the subsoil/soil. Contain contaminated water/firefighting water.

### **Methods and material for containment and cleaning up**

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 5/12  
(30468750/SDS\_CPA\_US/EN)

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### Components with occupational exposure limits

Acetone	OSHA PEL	PEL 1,000 ppm 2,400 mg/m <sup>3</sup> ; STEL value 1,000 ppm 2,400 mg/m <sup>3</sup> ; TWA value 750 ppm 1,800 mg/m <sup>3</sup> ;
	ACGIH TLV	TWA value 500 ppm ; STEL value 750 ppm ;

Distillates (petroleum),

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 6/12  
(30468750/SDS\_CPA\_US/EN)

hydrotreated light	ACGIH TLV	TWA value 200 mg/m <sup>3</sup> Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.
--------------------	-----------	---

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

##### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

##### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

##### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

##### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Form:	liquid	
Odour:	strong, of acetone	
Odour threshold:		Not determined due to potential health hazard by inhalation.
Colour:	amber, cloudy	
pH value:	approx. 7 - 9	( 5 %(m), approx. 25 °C)

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 7/12  
(30468750/SDS\_CPA\_US/EN)

Melting point:		The product has not been tested.
Boiling point:	approx. -12 °C	Information applies to the solvent.
Flash point:	approx. -104 °C	Information applies to the propellant.
Flammability:	Extremely flammable.	
Flammability of Aerosol Products:	0 cm no flashback	(ASTM D 3065)
Lower explosion limit:	1.9 %(V)	Information applies to the solvent.
Upper explosion limit:	13.3 %(V)	Information applies to the solvent.
Vapour pressure:	approx. 2000 hPa	( 21 °C) Information applies to the solvent.
Density:	approx. 0.8 g/cm <sup>3</sup>	( 20 °C)
Vapour density:		not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.	
Viscosity, dynamic:	2.5 mPa.s	( 26 °C)
Solubility in water:		miscible
Evaporation rate:		not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Not an oxidizer.

Based on its structural properties the product is not classified as oxidizing.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 8/12  
(30468750/SDS\_CPA\_US/EN)

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50

Species: rat (female)

Value: > 5,000 mg/kg

#### Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.2 mg/l

Exposure time: 4 h

#### Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg

#### Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause slight but temporary irritation to the eyes.

#### Skin

Species: rabbit

Result: non-irritant

#### Eye

Species: rabbit

Result: non-irritant

#### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test

Species: guinea pig



# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 9/12  
(30468750/SDS\_CPA\_US/EN)

---

Result: Non-sensitizing.

### Chronic Toxicity/Effects

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: Acetone*

*Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

-----

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: chlorfenapyr*

*Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.*

#### *Information on: Acetone*

*Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.*

-----

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

### Symptoms of Exposure

No significant reaction of the human body to the product known.

#### Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

---

## 12. Ecological Information

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 10/12  
(30468750/SDS\_CPA\_US/EN)

### Toxicity

Aquatic toxicity  
Assessment of aquatic toxicity:  
Very toxic (acute effect) to aquatic organisms.

#### Toxicity to fish

*Information on: chlorfenapyr*  
*LC50 (96 h) 0.00744 mg/l, Oncorhynchus mykiss*  
-----

#### Aquatic invertebrates

*Information on: chlorfenapyr*  
*EC50 (96 h) 0.00203 mg/l, Mysidopsis bahia (Directive 84/449/EEC, C.2)*  
-----

#### Aquatic plants

*Information on: chlorfenapyr*  
*EC50 (72 h) 0.132 mg/l, Desmodium subspicatus*  
-----

#### Assessment of terrestrial toxicity

Acutely very toxic to terrestrial organisms.

### Additional information

Other ecotoxicological advice:  
The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

---

## 13. Disposal considerations

#### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **Container disposal:**

Consult state or local disposal authorities for approved alternative procedures such as container recycling. Do not reuse empty containers.

#### **RCRA:**

This product is not regulated by RCRA.

---

## 14. Transport Information

#### **Land transport**

USDOT

Hazard class: 2.2  
ID number: UN 1950  
Hazard label: 2.2, EHSM

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 11/12  
(30468750/SDS\_CPA\_US/EN)

Proper shipping name: AEROSOLS

### Sea transport IMDG

Hazard class: 2.2  
ID number: UN 1950  
Hazard label: 2.2, EHSM  
Marine pollutant: YES  
Proper shipping name: AEROSOLS

### Air transport IATA/ICAO

Hazard class: 2.2  
ID number: UN 1950  
Hazard label: 2.2  
Proper shipping name: AEROSOLS, NON-FLAMMABLE

### Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Acute; Chronic

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	67-64-1	Acetone

### State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
MA, NJ, PA	64742-47-8	Distillates (petroleum), hydrotreated light
MA, NJ, PA	67-64-1	Acetone

### CA Prop. 65:

There are no listed chemicals in this product.

### NFPA Hazard codes:

Health : 1      Fire: 1      Reactivity: 1      Special:

### Labeling requirements under FIFRA

# Safety Data Sheet

## PTB PHANTOM PRESSURIZED

Revision date : 2015/02/04  
Version: 4.0

Page: 12/12  
(30468750/SDS\_CPA\_US/EN)

---

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

**CAUTION:**  
KEEP OUT OF REACH OF CHILDREN.  
KEEP OUT OF REACH OF DOMESTIC ANIMALS.  
Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.  
Wash thoroughly after handling.

---

### 16. Other Information

**SDS Prepared by:**  
BASF NA Product Regulations  
SDS Prepared on: 2015/02/04

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET